Bulletin of the British Myriapod Group 6

VICE COUNTY LISTS FOR CENTIPEDES, 1989

A N Keay
46 Albany Road, Newport, Isle of Wight

Current vice-county lists for British and Irish centipedes are here presented; vice-county numbers are as in Harding and Sutton (1985).

* Recorded + Recorded only from glass houses - Not recorded

Records of Scutigeromorpha (Scutigera) and of Scolopedra spp which only occur as obvious introductions, usually indoors are excluded.

Comments on the Vice-County Lists:

1. These lists do not include records which are not yet on card or specimens not yet identified.

2. There are genuine absences or scarcities e.g:

   (i) L.crassipes in the South West
   (ii) L.variegatus In the East
   (iii) Cryptops spp. in non-urban areas in the North
   (iv) H.subterraneus: probably a similar pattern to Cryptops

3. There are clearly areas of poor recording, for example N.Essex, Suffolk and parts of N.Wales.

4. Some of our records are very old literature ones.

Less Common Species

5. Certain other species are probably widespread:

   (i) L.fulvicornis will probably occur in most areas in the Autumn.
   (ii) L.borealis is probably strongest in the West but worth looking out for elsewhere.
   (iii) L.macilentus has a good scatter of records (except S.W.) and should be worth looking for in deciduous woodland.

6. Some species are more or less restricted to one area but have isolated records from elsewhere:

(i)	L.tricuspis	Devon & single records from elsewhere
(ii)	L.muticus	South-East & scatter of records from various parts
(iii)	L.tenebrosus	France & Wales
(iv)	L.piceus	South-East only
(v)	L.pilicornis	South-West & scattered urban records

General Comments

7. There is a need for many more urban/suburban records.

8. Look for coastal species in all coastal Vice Counties.

9. All areas of Scotland require records. Charles Rawcliffe has added a lot of new records but the picture is very patchy otherwise.

Reference

Harding, P.T. & Sutton, S.L. (1985). Woodlice in Britain and Ireland: Distribution and Habitat, Huntingdon; Natural Environment Research Council.

VICE COUNTY DISTRIBUTION OF BRITISH CENTIPEDES

GEOPHILOMORPHA AND SCOLOPENDROMORPHA

Vice County Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
Haplophilus subterraneus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	-	-	*	*	-	*	-	*	*	*	*	*	*	*	*
Nesoporogaster brevior	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyroschendyla submarina	*	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schendyla nemorensis	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	-	-	*	*	*	*	-	*	*	*	*	*	*	*	-
Schendyla peyerimhoffi	*	-	*	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brachyschendyla dentata	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
Brachyschendyla monoeci	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henia vesuviana	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
Henia brevis	*	*	*	-	-	*	-	-	-	*	-	-	-	-	*	*	*	-	-	-	*	-	-	-	-	-	-	-	-	*	-	-	-	-	*	-	-	-	-
Strigamia acuminata	*	-	-	*	*	*	-	*	-	*	*	*	*	-	*	*	*	*	-	*	-	*	*	*	-	-	*	*	*	*	*	*	*	-	-	*	-	*	*
Strigamia crassipes	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*	*	-	*	-	-	*	*	-	*	*	*	-
Strigamia maritima	*	*	*	*	*	*	*	-	*	*	*	-	*	*	*	-	-	-	*	-	-	-	-	-	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-
Pachymerium ferrugineum	-	-	-	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinopodes linearis	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Geophilus carpophagus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	-	*	*	-	*	*	*	*	*
G.electricus	-	-	*	*	*	*	-	-	-	*	*	-	-	-	*	*	*	-	-	*	-	-	*	-	-	-	*	*	*	*	-	*	-	-	*	*	-	-	-
G.fucorum	*	*	*	-	-	-	-	-	-	*	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
G.insculptus	-	-	*	*	-	*	-	*	-	*	*	*	-	*	*	*	*	*	*	-	*	*	*	*	-	-	*	*	*	*	-	*	*	-	*	*	-	*	*
G.osquidatum	*	*	*	-	*	-	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	-	-
G.pusillifrater	*	-	-	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.proximus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrophloeophagus flavus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-
Brachygeophilus truncorum	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	-	-	*	*	*	*	-	*	*	*	*	*	*	*	*	-	*	*	*	*	*
Chalandea pinguis	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dicellophilus carniolensis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tygarrup javanicus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nothogeophilus turki	*	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arenophilus peregrinus	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptops anomalans	-	-	*	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-
Crytops hortensis	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	-	*	-
Crytops parisi	*	*	*	-	*	*	-	-	-	*	*	-	-	-	*	*	*	-	-	-	*	-	-	-	-	-	-	-	-	*	-	*	-	*	*	-	-	-	-

Vice County Number	4	1	2	3	4	5	6	7	8	9	5	1	2	3	4	5	6	7	8	9	6	1	2	3	4	5	6	7	8	9	7	1	2	3	4	5	6	7	8
	0										0										0										0								
Haplophilus subterraneus	-	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	-	-	*	*	-	-	-
Hydroschendyia submarina	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schendyla nemorensis	-	*	*	*	*	*	*	-	*	*	*	-	*	*	*	*	*	-	*	*	*	*	*	*	-	*	*	*	-	*	*	*	-	-	-	-	-	-	-
Schendyla peyerimhoffi	-	*	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
Henia brevis	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strigamia acuminata	*	*	*	*	*	*	-	*	*	*	-	*	-	*	*	*	*	*	*	*	-	*	*	*	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-
Strigamia crassipes	-	*	*	*	*	-	*	-	-	-	-	-	*	-	-	*	-	*	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strigamia maritima	-	*	-	-	*	*	*	-	-	*	-	*	*	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	*	*	-	*	-	-	-	-	-	-	-
Clinopodes linearis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	*	*	-	-	-	-	-	-	-	-	-	-	-
Geophilus carpophagus	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	-	*	*	*	-	-	-	*
G.electricus	-	*	*	*	-	-	-	-	*	*	-	-	*	*	-	*	*	*	*	-	*	-	-	*	*	*	-	-	-	*	-	*	-	-	-	-	-	-	*
G.fucorum	-	*	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
G.insculptus	-	*	*	*	*	*	*	*	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-	-	*
G.osquidatum	-	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrophloeophagus flavus	-	*	*	*	*	*	*	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*	*	*
Brachygeophilus truncorum	*	*	*	*	*	*	*	*	*	*	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-	-	*
Dicellophilus carniolensis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
Cryptops anomalans	-	-	-	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptops hortensis	*	*	*	*	*	*	*	-	*	*	-	-	*	*	-	*	*	*	*	*	*	-	*	*	*	-	-	*	-	*	*	*	-	-	*	-	-	-	-
Cryptops parisi	-	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Vice County Number	7 9	8	1	2	3	4	5	6	7	8	9	9	1	2	3	4	5	6	7	8	9	1	1	2	3	4	5	6	7	8	9	1	1	2	3
		0										0										0										1			
																						0										0			
Haplophilus subterraneus	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Hydroschendyia submarina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Schendyla nemorensis	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	-	-	-	-	-	-	-	*	-
Strigamia crassipes	-	-	-	-	-	*	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strigamia maritima	-	-	*	*	*	*	*	*	*	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	-	-	-	*	-	*	*	*	*
Clinopodes linearis	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Geophilus carpophagus	*	*	-	*	*	*	*	-	*	*	*	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*	*	-	-	*	-	*	-	-	-
G.electricus	-	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.fucorum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.insculptus	-	*	-	*	*	*	*	*	*	-	*	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	-	-	-	-	-	-	-	*	-
G.proximus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-
Necrophloeophagus flavus	*	*	-	*	*	*	*	*	*	-	-	*	-	-	-	-	-	-	*	-	*	*	-	-	-	*	-	-	-	-	-	-	-	-	-
Brachygeophilus truncorum	*	*	-	*	*	*	*	*	*	*	-	-	*	-	-	*	-	*	*	*	*	-	-	-	*	-	-	*	*	-	*	-	*	-	*
Dicellophilus carniolensis	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptops hortensis	-	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptops parisi	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

LITHOBIOMORPHA

Vice County Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
Lithobius variegatus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*	-	*	*	*	*	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
Lithobius peregrinus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius forficatus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Lithobius piceus	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius melanops	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	-
Lithobius macilentus	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*	-	*	-	-	-	-	*	*	-	-	-	-	-	-	*	*	-	*	-	-	*	-	-	-	-	-
Lithobius tricuspis	-	-	*	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius borealis	*	*	*	*	*	*	*	-	-	*	*	*	-	*	*	*	*	-	-	-	-	*	*	-	-	-	-	*	-	*	*	-	*	-	-	-	-	-	-	-	*
Lithobius lapidicola(pusillus)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius pilicornis	*	*	*	-	-	-	-	-	*	*	-	-	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
Lithobius calcaratus	*	*	*	*	*	-	-	-	-	-	*	*	*	-	*	-	*	*	-	-	-	*	-	-	*	*	*	*	-	*	*	-	*	-	-	-	-	-	-	-	*
Lithobius muticus	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	*	*	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
Lithobius crassipes	*	-	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	-	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*
Lithobius curtipes	-	-	-	-	-	*	-	*	-	-	*	-	-	*	*	-	*	-	-	-	-	*	-	-	-	-	*	*	-	-	*	-	*	-	-	-	-	-	-	-	-
Lithobius microps	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Lithobius tenebrosus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lamyctes fulvicornis	-	*	*	*	*	*	-	-	-	*	*	-	-	*	*	*	*	-	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*	-	-	-	*	*	*		

Vice County Number	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
Lithobius variegatus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*	*	-	-	*	*	
Lithobius forficatus	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-
Lithobius piceus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-
Lithobius melanops	-	*	*	*	*	*	*	-	-	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	-	*	*	-	-	-	-
Lithobius macilentus	-	-	*	*	*	-	-	*	-	*	*	-	-	-	*	*	-	*	-	-	*	*	*	*	*	*	-	-	*	*	*	-	-	-	-	-	-	-	*
Lithobius tricuspis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius borealis	*	*	*	*	*	*	-	*	*	*	*	-	*	-	-	-	-	-	*	*	-	*	*	-	*	*	-	*	*	*	*	*	*	*	*	*	-	-	-
Lithobius lapidicola	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
Lithobius pilicornis	-	*	-	-	*	*	-	-	-	-	-	*	-	-	-	-	-	*	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius calcaratus	*	*	*	-	*	*	-	-	-	-	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*	-	-	-	-	-	-
Lithobius muticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius crassipes	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
Lithobius curtipes	-	-	*	*	-	-	-	*	-	-	-	-	-	-	-	*	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius microps	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-	-	-	-	-
Lithobius tenebrosus	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lamyctes fulvicornis	*	*	*	-	*	*	-	-	*	*	*	-	-	*	*	*	*	*	*	*	*	-	*	*	*	*	-	*	*	*	-	*	*	*	-	*	*	*	*
Lamyctes africana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-

Vice County Number	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113
Lithobius variegatus	-	-	*	*	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	-	-	-	-	-	*	-	-	*
Lithobius forficatus	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	-	*	*	*	*	*	*	*	-	*	-	*	-	-	*	*	*	*	*	*
Lithobius africana	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius melanops	-	*	*	*	*	*	*	*	*	*	-	-	-	*	-	-	-	*	*	*	*	*	*	-	*	-	*	-	-	-	*	-	-	-	*	-
Lithobius macilentus	-	*	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius borealis	*	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*	-	-	-	-	-	*	-	*	-	-
Lithobius pilicornis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Lithobius calcaratus	*	-	*	*	*	-	*	-	*	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius muticus	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius crassipes	*	*	*	*	*	*	*	*	*	*	*	-	*	-	-	*	-	-	-	*	-	-	-	-	-	-	*	*	*	-	*	-	-	-	-
Lithobius lapidicola	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius microps	*	-	-	*	*	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lamyctes fulvicornis	*	*	-	*	*	-	*	-	*	*	-	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*	-	-	*	*	-	*	*	*	-

IRISH VICE COUNTY DISTRIBUTION

Vice County Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Haplophilus subterraneus	*	-	*	*	*	*	-	*	-	-	-	-	-	-	-	*	-	-	-	-	*	*	*	*	-	-	-	*	-	-	*	*	*	-	-	-	*	-	-	-
Hydroschendyla submarina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schendyla nemorensis	-	-	*	*	*	*	-	-	*	-	-	*	-	-	-	-	-	*	-	*	*	-	*	-	-	-	*	-	-	-	-	-	-	*	-	*	-	*	-	*
Strigamia crassipes	*	-	-	*	-	*	-	-	-	-	-	-	*	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
Strigamia maritima	*	-	*	*	*	*	-	-	*	-	-	*	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	-	-	-	*	-	-	*	*	-	-	*	-	-
Geophilus carpophagus	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	-	-	-	-	-	*	*	*	-	-	-	-	-	*	-	*	-	*	*
G.electricus	-	-	-	*	*	*	-	-	*	-	-	-	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-	-
G.fucorum	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.insculptus	*	-	-	-	-	*	*	*	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	-	*
G.osquidatum	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrophloeophagus flavus	*	*	*	-	*	*	*	*	*	-	-	*	*	-	-	*	-	*	*	*	*	*	*	*	-	*	-	*	*	*	*	*	-	-	-	-	*	-	-	-
Brachygeophilus truncorum	*	-	*	-	-	*	-	*	-	*	-	-	-	-	-	-	-	*	-	-	-	-	*	*	-	-	*	*	*	*	*	*	-	-	-	-	-	*	*	-
Crytops hortensis	*	*	*	*	-	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-
C.parisi	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithobius variegatus	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	-	*	-	*	*	-	*	*	-	-	*	*	*	*	-	*	-	*	*	*	*	*	*	*	*
Lithobius forficatus	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*	*	*	*	*	*	*	*	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*
Lithobius melanops	*	*	*	*	*	*	*	*	*	-	-	-	*	-	-	*	-	*	*	*	*	*	*	-	-	-	*	*	-	-	*	-	-	*	*	-	*	*	*	*
Lithobius borealis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*	*	-	-	-	*	-	*	*	*	*	-
Lithobius crassipes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	-	*	*
Lithobius microps	-	*	*	*	*	*	*	*	-	*	-	*	*	-	-	-	-	*	*	-	*	*	*	*	-	-	*	*	-	-	-	-	-	*	-	*	*	*	-
Lamyctes fuvicornis	*	-	*	*	*	-	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*	-	*	-	-	-	*	-	-	-	-	-	-	*	-	-	-	*	-